

AirMart.com
AIRCRAFT SALES & BROKERAGE

The Standard
 **AIRCRAFT LOG**

ASA-SA-2

Aircraft Record General Information

Manufacturer Cessna

Model AA-5B

Serial AA5B-0480

Registration Number N18126B

Date of Manufacture _____

Engine(s) currently installed:

Manufacturer Lycoming

Model D-360-A4K

Serial L-22962-36A

Manufacturer _____

Model _____

Serial _____

Propeller(s) currently installed:

Manufacturer Sensenich

Model 76 Em 810-D-63

HUB Model 31404K

Serial _____

Serial _____

Blade Model _____

Serial _____

Serial _____

Serial _____

Blade Model _____



Serial _____


Serial _____

Serial _____

YEAR 20 <u>16</u> DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
1/2/16	2218.5			1/2 ANNUAL INSPECTION 1/2 AD 79-22-04 Aileron Oscillation Parts A/B no defects noted 1/2 AD 81-24-03 Part II inspection of Air/U Air Box & SL 81-1, no defects noted Replaced Air filter with new BA-120, 1/2 AD 95-19-152 By Removal & inspection of wing Attachment Bolts no defects noted Next due 2718.5, AD 99-24-10 standby Vacuum system valve 5/19/2016, Flight manifold sup installed & check of system checked ok. The data Replaced Amer/K no ELT with ACR E-04 Battery Due 7/20/31 Replaced Elec. Inter. EC1-EGT/CHT w/410 Elec Inter. 440-16 Sec 337 for details Replaced RH MAIN Tire with new Goodyear 6-00X6-6, Replaced B&B LH&RH Brake Ppd, Replaced ALL Wheel Bearings

YEAR 20 <u>16</u> DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
1/2/16	2218.5			I Certify that this Air Craft has been inspected 1/2 Annual inspection and was determined to be in Airworthy Condition. James W. E. 3307146 ID River City Drone LLC
Logbook Entry Date: 11/14/2016 Make: Grumman N#: 81268 Tach = 2243.9 Installed 3 Nulite instrument back light bezels under PMA PQ0876SW. OPS CK good this date. The aircraft and/or appliance identified above was repaired and/or inspected in accordance with current FAA regulations and is approved for return to service for the work performed. Pertinent details of this repair are on file at this Repair Station under Work Order 16-0708 Michael Guyer Michael Guyer for CRS PG2R082L For: Ron Collins Aviation Electronics LLC 2158 State Route 136W Henderson, KY 42420. Phone (270)827-1161 FAX (270)827-1164 CRS No: PG2R082L				

YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Performed Biennial check required by FAR 91.413 On <u>GTX345</u> Transponder system #1 S/N <u>GE002664</u> #2 S/N _____ Specifications were met per Part 43 Appendix F and were recorded on W.O.# <u>17-335</u> Ron Collins Aviation Electronics, Henderson, KY FAA Repair Station # PG2R082L <u>6/13/2017</u> Date  I Certify the Altimeter and Static System tests required by FAR Part 91.411 have been performed. #1 Altimeter was tested to <u>20</u> K feet on <u>6/13/17</u> #2 Altimeter was tested to <u>20</u> K feet on <u>6/13/17</u> #1 Data correspondence to <u>20</u> K feet on <u>6/13/17</u> #2 Data correspondence to _____ K feet on _____ Ron Collins Aviation Electronics Henderson, KY Faa Repair Station # PG2R082L W.O. # <u>17-334</u> <u>6/13/2017</u> Date 

YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)																																																
				<table border="1"> <thead> <tr> <th colspan="2">SCALE CORRECTION</th> <th colspan="2">ALT S/N H4184</th> </tr> <tr> <th>Master</th> <th>Altimeter</th> <th>Master</th> <th>Altimeter</th> </tr> </thead> <tbody> <tr><td>-1000</td><td>-980</td><td>10000</td><td>10000</td></tr> <tr><td>0</td><td>0</td><td>12000</td><td>12000</td></tr> <tr><td>500</td><td>510</td><td>14000</td><td>14000</td></tr> <tr><td>1000</td><td>980</td><td>16000</td><td>16000</td></tr> <tr><td>1500</td><td>1500</td><td>18000</td><td>17980</td></tr> <tr><td>2000</td><td>1980</td><td>20000</td><td>19980</td></tr> <tr><td>3000</td><td>2980</td><td>22000</td><td>0</td></tr> <tr><td>4000</td><td>3970</td><td>25000</td><td>0</td></tr> <tr><td>6000</td><td>5980</td><td>30000</td><td>0</td></tr> <tr><td>8000</td><td>5980</td><td>35000</td><td>0</td></tr> </tbody> </table> Checked By <u></u> Date: <u>6/13/17</u>	SCALE CORRECTION		ALT S/N H4184		Master	Altimeter	Master	Altimeter	-1000	-980	10000	10000	0	0	12000	12000	500	510	14000	14000	1000	980	16000	16000	1500	1500	18000	17980	2000	1980	20000	19980	3000	2980	22000	0	4000	3970	25000	0	6000	5980	30000	0	8000	5980	35000	0
SCALE CORRECTION		ALT S/N H4184																																																		
Master	Altimeter	Master	Altimeter																																																	
-1000	-980	10000	10000																																																	
0	0	12000	12000																																																	
500	510	14000	14000																																																	
1000	980	16000	16000																																																	
1500	1500	18000	17980																																																	
2000	1980	20000	19980																																																	
3000	2980	22000	0																																																	
4000	3970	25000	0																																																	
6000	5980	30000	0																																																	
8000	5980	35000	0																																																	

YEAR 20____ DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)																																																
				<table border="1"> <thead> <tr> <th colspan="2">SCALE CORRECTION</th> <th colspan="2">ALT S/N 12526</th> </tr> <tr> <th>Master</th> <th>Altimeter</th> <th>Master</th> <th>Altimeter</th> </tr> </thead> <tbody> <tr><td>-1000</td><td>-1000</td><td>10000</td><td>10000</td></tr> <tr><td>0</td><td>0</td><td>12000</td><td>12010</td></tr> <tr><td>500</td><td>500</td><td>14000</td><td>14010</td></tr> <tr><td>1000</td><td>1000</td><td>16000</td><td>16010</td></tr> <tr><td>1500</td><td>1500</td><td>18000</td><td>18000</td></tr> <tr><td>2000</td><td>2005</td><td>20000</td><td>20010</td></tr> <tr><td>3000</td><td>3000</td><td>22000</td><td>0</td></tr> <tr><td>4000</td><td>4000</td><td>25000</td><td>0</td></tr> <tr><td>6000</td><td>6000</td><td>30000</td><td>0</td></tr> <tr><td>8000</td><td>8000</td><td>35000</td><td>0</td></tr> </tbody> </table> Checked By <u>RNM</u> Date: <u>6/13/17</u>	SCALE CORRECTION		ALT S/N 12526		Master	Altimeter	Master	Altimeter	-1000	-1000	10000	10000	0	0	12000	12010	500	500	14000	14010	1000	1000	16000	16010	1500	1500	18000	18000	2000	2005	20000	20010	3000	3000	22000	0	4000	4000	25000	0	6000	6000	30000	0	8000	8000	35000	0
SCALE CORRECTION		ALT S/N 12526																																																		
Master	Altimeter	Master	Altimeter																																																	
-1000	-1000	10000	10000																																																	
0	0	12000	12010																																																	
500	500	14000	14010																																																	
1000	1000	16000	16010																																																	
1500	1500	18000	18000																																																	
2000	2005	20000	20010																																																	
3000	3000	22000	0																																																	
4000	4000	25000	0																																																	
6000	6000	30000	0																																																	
8000	8000	35000	0																																																	

YEAR 20____ DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
9/13/17	2332.5			C/W ANNUAL inspection, C/W FAR 91.207 ops Check OK ELT Battery DUE 7/2021 Replaced 2 electronics voltage Reg. PH R15100 S/N MOC268 with new PLANE Powers R1234 S/N H-R 061195, Replaced Alternator Ford DOFF103005 S/N ALD80829 with new PLANE Powers AL12-FL0 S/N HR 063100 Equipment is updated, Replaced RH stroke Bulb with New Aero Fresh 073-0171 ops Check OK. Installed Boost Pump on lamp beside Fuel Pressure gauge Replaced Boost Pump Switch with new 28160-1 Ops Check OK This C/W AD 79-22-04 Aileron oscillation Per Para (A+B) no data noted.
	3041.5			

Continued on next page →

Continued from Previous Page

YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
9/13/17	2332.9			AD 81-24-03 Part inspection of Carb
ACTT	3041.5			A-1 box + Replacement of air filter with new BA-120 no defects noted
				AD 99-24-10 Precise Flight Ins. Standby VACUUM System SVS in Part B 5/40
				The installed valve is 19396, flight manual is installed visual inspection top's check ok. I certify that this aircraft has been inspected 1/24 PM annual inspection was determined to be in an airworthy condition
				James B. 3307146 IR Rochester, NY

YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
9/15/17	2332.9			Installed Plane Power Alternator out Lamp PM 14-1010 1/24 PM Plane Power Install Drawing Panel up check ok Next to amp Gauge. Run up check ok
				James B. 3307146 Rochester, NY

YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------------	---------------------------	-------------------	-----------------------------	---

AIRCRAFT MAINTENANCE LOGBOOK ENTRY

Date: 6 AUG 2018 Registration: N81268

REPLACED AVIONICS MASTER RELAY.

Pertinent details of this repair are on file at this Repair Station under Work Order No.: 18-326
The aircraft and/or component(s) identified above was repaired and inspected in accordance with current FAA regulations
and, respective of work performed, found to be airworthy and approved for return to service.

For: Ron Collins Aviation Electronics
2158 State Route 136W

CRS No. PG2R082L Phone (270) 827-1161
Henderson, KY 42420 FAX (270) 827-1164

YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------------	---------------------------	-------------------	-----------------------------	---

9/14/18	2415			4/20 annual inspection per manufacturer check list. Removed wheels cleaned, insp and greased wheel Bearings Removed NOSE wheel lock, cleaned, inspected, regreased and Reinstalled and adjusted To 14 UG. Replaced all 4 Brake Pads with new 66-00, Replaced Both Vacuum filters with new RA-D3-18-12 B3-51. Replaced Fuel Prop Spinner BULK Head with new 5500010-502, Replaced Port Fire extinguisher with new H3R model 344 4/11 E93777804, 4/20 FAR 91.201 ops check ELT Battery Due 7/2021, 4/20 AD 79-22-04 ailerons oscillation by inspection per Para (A) & (B) no defects note next due 9/2019 or 2515. 4/20 AD 81-24-03 by inspection of Carb Airbox Part II by visual inspection & Replaced Air Pl. Ltr with new BA-20 next due 9/2019 or Alt: 2515 SEE next Page
---------	------	--	--	---

YEAR 2018 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
9/14/18	2418			WAD9A-24-10 Precise Flight Inc model SV50 Standby vacuum system 9/14/18 valve installed by visual inspection OK no leaks noted next due 9/20/19 at 2515 acft I Certify that this aircraft has been inspected & found in annual inspection and was determined to be in an airworthy condition James D. B. 3307146 IT River City Aero LLC

YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
AIRCRAFT MAINTENANCE LOGBOOK ENTRY				
Date: 17 MAY 2019		Registration: N 81268		
REMOVED GARMIN GA35 GPS ANTENNA S/N 84037. INSTALLED REPLACEMENT GARMIN GA35 GPS ANTENNA S/N 164441. CHECKED GPS RECEPTION OF GARMIN GNS430W NAV/COM USING THE NEW ANTENNA, AND OPS CHECKED GOOD.				
Pertinent details of this repair are on file at this Repair Station under Work Order No.: 19-229 The aircraft and/or component(s) identified above was repaired and inspected in accordance with current FAA regulations and, respective of work performed, found to be airworthy and approved for return to service.				
For: Ron Collins Aviation Electronics 2158 State Route 136W		CRS No. PG2R082L Henderson City-County Airport		Phone: (270) 827-1161 Henderson, KY. 42420
N81268 I Certify the Altimeter and Static System tests required by FAR Part 91.411 have been performed. #1 Altimeter was tested to 20 K feet on 7/10/19 #2 Altimeter was tested to 20 K feet on 7/10/19 #1 Data correspondence to 20 K feet on 7/10/19 #2 Data correspondence to K feet on Ron Collins Aviation Electronics Henderson, KY Faa Repair Station # PG2R082L W.O. # 19-340 7/10/2019 Date				

YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------------	---------------------------	-------------------	-----------------------------	---

STAND BY ALTIMETER

SCALE CORRECTION		ALT S/N H4184	
Master	Altimeter	Master	Altimeter
-1000	-980	10000	10020
0	0	12000	12030
500	500	14000	14020
1000	990	16000	16010
1500	1500	18000	18010
2000	1990	20000	20000
3000	3000	22000	XXX
4000	3990	25000	XXX
6000	5990	30000	XXX
8000	5990	35000	XXX

Checked By [Signature] Date: 7/10/19

YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------------	---------------------------	-------------------	-----------------------------	---

ASPEN AFB

SCALE CORRECTION		ALT S/N 12526	
Master	Altimeter	Master	Altimeter
-1000	-1000	10000	10040
0	0	12000	12030
500	510	14000	14030
1000	1020	16000	16010
1500	1510	18000	18020
2000	2010	20000	20030
3000	3020	22000	XXX
4000	4020	25000	XXX
6000	6020	30000	XXX
8000	8030	35000	XXX

Checked By [Signature] Date: 7/10/19

[illegible]

YEAR 2019 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
11/1/2019	2586.4			1/11/2019 Annual inspection Per Maxine Kachko Insp Rem. Removed Cleared & Repack. 6 Wheel Bearing & Reinstalled. Replaced Brake Pad with New 66-105 1/2 FA 91. 207D Bg up's Check & inspection of ELT. Battery Due 7/2021 1/11 AD 79-22-04 Aileron System too Integrity By visual inspection Per AD Part (ADP) NO defect noted next due 11/2020 2684.4 1/11 AD 99-24-10 Precise Flight SVS III ops Check NO defect noted next due 11/2020 2684.4. 1/11 AD 81-24-03 Inspection Air. Ref. Ltr Airbox NO defects noted next due 11/2020 2684.4 Installed new Air Filter AD I certify that this aircraft has been inspected I did an annual inspection and was found to be in an Airworthy Condition. James D. BOK 3307461A Riverside City Aero LLC

YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				LOGBOOK ENTRY DATE: 10/28/19 MAKE: Grumman NH 81268 TACH: Tested S-Tec 30 autopilot system computer P/N 01260-1-0-14 S/N 01260-1311-07531D. System checks good. Replaced internal battery in Aspen EFD1000 PFD S/N 12526. Removed Davtron clock S/N D32607 and installed Appareo Power system USB. Weight and balance and equipment list has been revised. The aircraft and/or appliance identified above was repaired and/or inspected in accordance with current FAA regulations and is approved for return to service for the work performed. Pertinent details of this repair are on file at this Repair Station under Work Order: 19-502, 19-529 TECHNICIAN: <u>Michael Senger</u> CRS #PG2R0821 for Ron Collins Aviation Electronics 2158 St Rt 136 W Henderson, KY 42420. Phone 270-827-1161

YEAR 20 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------------	---------------------------	-------------------	-----------------------------	---

HUNT AVIATION LLC

13212 HANGER RD.

LAWRENCEVILLE, ILL (812)887-9902

Airframe

12/16/2020

N81268


TT: 2630.72

TTAF: 2630.72

- PERFORMED ANNUAL INSPECTION IAW FAR 43 APPEND (d).
- CHECK ELT IAW FAR 91.207 (d.) (1-4) BATTERY DUE JULY 2021.
- LUBRICATED ALL PULLIES, RODENDS, AND HINGE POINTS INCLUDING WHEEL BEARINGS
- COMPLY WITH AD'S THRU 12/15/2020.
- UPDATED AD COMPLIANCE LIST INSERTED INTO A/C DOCUMENTS.
- ROTATED LEFT MAIN TIRE.
- REPLACED PNEUMATIC FILTERS: AIRBORNE P/N D9-18-1, RAPCO P/N RAB3-5-1.
- REPLACED STARTING BATTERY WITH GIL G-25 S/N G03084233.

I certify this aircraft to be in airworthy condition and return to service.

Gregory R. Hunt



AP/IA 3896893