

THE **adlog**TM AIRCRAFT
MAINTENANCE
RECORDKEEPING
SYSTEM

AIRFRAME MAINTENANCE RECORDS

APPLICABLE AIRWORTHINESS
DIRECTIVES

ADS PERMANENTLY
COMPLIED WITH

ADS REQUIRING ADDITIONAL
COMPLIANCE

MAJOR REPAIR & ALTERATION
FORBID. / FAA FORM 1071

ENGINE

PROPELLER

AVIONICS

AIRFRAME MAINTENANCE RECORDS

Log No. _____

Aircraft Registration No. N 326AM

Aircraft Mfg. Cessna Model TR-182 Serial No. R18201474

Engine Mfg. Lycoming Model O-540-L3C5D Serial No. RL-21293-40A

Engine Mfg. _____ Model _____ Serial No. _____

Propeller Mfg. McCaulley Model B2034C 219 Serial No. 741459

Hub Design No. _____ Hub Serial No. _____

Blade Design No. _____ Blade Serial No's. _____

Propeller Mfg. _____ Model _____ Serial No. _____

Hub Design No. _____ Hub Serial No. _____

Blade Design No. _____ Blade Serial No's. _____

(All applicable information must be filled in)



AEROTECH PUBLICATIONS INC.

www.adlog.com
P.O. Box 1359 / Southold, NY 11971-0965
(631) 765-9375
1-800-235-6444
FAX: (631) 765-9359

Page No. 1

DESCRIPTION OF WORK PERFORMED—
SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK

DATE TOTAL TIME IN SERVICE TACH OR RECORDING METER TIME

TOTAL brought forward from previous page

18 JUNE 14 2977.3 1133.9 COMPILE AVAILABLE DATA TO SUBSTITUTE FOR LOGS LOST IN FLOOD SEPT 2013 AT OWNERS HOME - AIRCRAFT WAS NOT INVOLVED. 1 AIRCRAFT LOG WAS RECOVERED WITH ENTRIES FROM 7.30.99 THRU 3.4.06. SEE WORK ORDERS FROM AIR WEST FLIGHT CENTER FROM 7.8.05 THRU 6.15.13 FROM FAA DATA BASE & DUPLICATE CERTIFICATE FROM LYCOMING REBUILT & FROM ROCKY MTN. PROPELLER FOR OVERHAUL OF PROPELLER. NEW AD LIST COMPILED

Date: 3/15/2014

Tach: 1126.1

N326AM

Replaced Battery with new Gill battery P/N G243. Ops check good. This A/C returned to service. -----END-----

Zack Morrison

A&P# 2887425

Fly Elite Aviation
Longmont Airport

18 JUNE 14 2977.3 1133.9 INSPECT ELT per FM 91.207 OK. INSTALL NEW BP-1020 ELT BATTERY EXPIRES SEPT 16. JACK AIRCRAFT. CHECK NORMAL & EMERGENCY GEAR OPERATION - INSTALL 2 NEW 5.600X6.6ply FLIGHT SPECIAL & 1 5.00X5.6ply FLIGHT SPECIAL TIRES USING MICHELIN AIR STOP TUBES. BALANCE ALL TIRES & PACK ALL WHEEL BEARINGS - SERVICE BRAKES, BATTERY, NOSE STRUT & HYDRAULIC SYSTEM - LUBE GEAR & FLIGHT CONTROL SYSTEMS - REINSTALL O₂ BOTTLE AFTER HYDROSTATIC TEST, SERVICE & LEAK CHECK OK - NEXT DUE 6.19 AD 99-24.10 STANDBY VACUUM INSPECTION PARA B(1) 12MO TEST AD 2011.10.9 SEATS & TRACKS INSPECTED OK

"I certify this Aircraft has been inspected in accordance with ANNUAL inspection and was determined to be in airworthy condition"

Date 18 JUNE 14 Tach Time 1133.9

Signature

A&P 2082200 AT

SUB-TOTAL

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
			TOTAL brought forward from previous page

13 May 15 3025.5 1182.1 INSPECT ECT PER PAR 91.207 OK - ECT BATTERY EXPIRES SEPT 16
JACK AIRCRAFT, CHECK NORMAL & EMERGENCY OPERATION

"I certify this AIRCRAFT has been inspected in accordance with ANNUAL Inspection and was determined to be in airworthy condition"
Date 13 May 15 Tac Time 1182.1
Signature COR
A&P 2052200 AT
LUBE GEAR & FLIGHT CONTROL SYSTEMS - SERVICE
BRAKES, BATTERY NOSE STRUT & HYDRAULIC SYSTEM
AD 99-24-10 SVS STANDBY VACUUM SYSTEM INSPECTED
PER PARA B(1) & B(2) 12 & 24 MONTH INSPECTIONS OK
AD 2011-10-9 SEATS & TRACKS INSPECTED OK
INSTALL 4 NEW J-9613-12 ENGINE LOAD MOUNTS

17 SEPT 15 1197.5 REINSTALL ARTIFICIAL HORIZON 5000B-38 AFTER OVERHAUL
BY CENTURY INSTRUMENT - OPS & FLIGHT CHECK GOOD
INSTALL NEW FILTERS COR A&P 2052200

30 OCT 15 1202.5 REINSTALL ARTIFICIAL HORIZON 5000B-38 S/N T84699E AFTER
OVERHAUL BY CENTURY INSTRUMENT. OPS & FLIGHT CK OK
COR A&P 2052200

25 May 16 3050.8 1207.4 INSPECT ECT PER PAR 91.207 OK - ECT BATT EXPIRES 9-16

"I certify this AIRCRAFT has been inspected in accordance with ANNUAL Inspection and was determined to be in airworthy condition"
Date 25 May 16 Tac Time 1207.4
Signature COR
A&P 2052200 AT
JACK AIRCRAFT - CHECK NORMAL & EMERGENCY GEAR
OPERATION - LUBE GEAR & FLIGHT CONTROL SYSTEMS
SERVICE BRAKES, BATTERY, NOSE STRUT, HYDRAULIC SYSTEM
AND SWIMMY DAMPER
AD 99-24-10 SVS STANDBY SYSTEM INSP. PER PARA B(1) OK RMO
AD 2011-10-9 SEATS & TRACKS INSP. OK

INSTALL NEW NOSE GEAR ACTUATOR HOSES P/N \$ 2178-4-0096 (AE 3663231E009)
P/N \$ 2178-4-0102 (AE 3663231E0102) AND NEW HAND PUMP BOOT ASSY 1280119-1

SUB-TOTAL this page
TOTAL-Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME
------	-----------------------	------------------------------

TOTAL brought forward from previous page

3-22-17 3071.7 1228.3 **ELT DUE JAN 2019**

Date. 03-22-2017. N326AM. Tach reads 1228.3. Aircraft total time= 3071.7. Engine total time= 927.3. Prop Total time = 3071.7. Prop TSOH= 336.7. Pitot static - TXP cert due 8-2018. Oxygen bottle hydrostatic cert due 6-2019. Test ELT iaw FAR 91-207. Place aircraft on jacks. Perform landing gear retract and emergency down functional tests. Ok. Service power pac with 5606 fluid. Service brakes. Lube flap jack screw and flap rollers. Install new 4591 landing light. Remove and replace 215cc vac pump with new unit. Cw AD 2011-10-09. Cw AD 2005-12-06 due @ 1598.4. AD 2004-10-14 due @ prop strike. Cw AD 99-24-10 b-1&2. See AD compliance list in aircraft logs and records for further compliance

DATE 03-22-17 TACH 1228.3
I CERTIFY THIS AIRCRAFT
WAS INSPECTED IN ACCORDANCE
WITH ANNUAL INSPECTION
AND WAS DETERMINED TO BE
IN AIRWORTHY CONDITION
SIGNATURE *[Signature]*
AERO 52162984 IA

**Aero
ENGINES**
OF WINCHESTER, INC.


615 AIRPORT ROAD #109 • WINCHESTER, VA 22602
(540) 678-1661

DATE: 03-01-2018 N326AM Cessna 182RG Tach: 1250.4

1. REMOVED BATTERY
2. INSTALL NEW GILL BATTERY G-243; S/N G02990198

ALL WORK ACCOMPLISHED IAW CESSNA SERVICE MANUAL AND APPLICABLE CHAPTERS OF AC-43.13-1B
ENGINE TEST RAN SATISFACTORILY AND RELEASED FOR SERVICE.

AERO ENGINES RS# 27WR209B



DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED - SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
------	-----------------------	------------------------------	---



DATE: 5-3-18 HOBBS:728.2 TACH: 1255.3 TTAF: 3098.7 N326AM TR182 SN:R18201474

1. INSPECT AIRCRAFT IAW AN APPROVED CHECKLIST PER 14 CFR 43 APP. D.
2. OPEN ALL ACCESS PANNELLS, LUBRICATE ALL PULLIES, HINGE POINTS, BELLCRANKS, & ROD ENDS.
3. GREASE MAIN AND NOSE LANDING GEAR, CONDUCT RETRACT TEST IN NORMAL AND EMERG. MODE.
4. TESTED ALL LIGHTS.
5. ELT TESTED PER FAR 91.207, BATTERY DUE: 1-19.
6. SERVICE HYD POWER PACK AND BRAKE RESIVOR WITH MILL-5606.
7. RESEAL LH BRAKE WHEEL CYLINDER MS28775-222, BLEED BRAKES.
8. GREASE FLAP JACK SCREW.
9. FREE FROZEN PULLIES IN CTR TUNNEL.
- 10INSTALL 3M TAPE ON UPPER FLAP SURFACE, TIGHTEN ALL FLAP ROLLER BOLTS.
- 11SERVICE TIRES TO PROPER PRESSURE.
- 12TIGHTRN RH WING ROOT RIVNUT, R/R 8-32 RIVNUT UPPRER RH CUFF, INSTALL NEW -8 TINNEMAN.
- 13TIGHTEN COPILOT SEAT HEIGHT KNOB.
- 14FOR AD COMPLIANCE SEE ADLOG.

ALL WORK ACCOMPLISHED IAW MFGR. SERVICE MANUAL, AND AC. 43-13-1B.
I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE
WITH AN ANNUAL INSPECTION AND DETERMINED TO BE IN AIRWORTHY CONDITION.
CHRIS M. COLLINS A&P/IA 448708617

DATE: 5-14-19 HOBBS:744.0 TACH: 1268.8 TTAF: 3112.2 N326AM TR182 SN:R18201474

1. INSPECT AIRCRAFT IAW AN APPROVED CHECKLIST PER 14 CFR 43 APP. D.
2. OPEN ALL ACCESS PANNELLS, LUBRICATE ALL PULLIES, HINGE POINTS, BELLCRANKS, & ROD ENDS.
3. GREASE MAIN AND NOSE LANDING GEAR, CONDUCT RETRACT TEST IN NORMAL AND EMERG. MODE.
4. TESTED ALL LIGHTS.
5. ELT TESTED PER FAR 91.207, INSTALL NEW BP1020 BATTERY DUE:6-2021 .
6. SERVICE HYD POWER PACK AND BRAKE RESIVOR WITH MILL-5606.
7. SERVICE NLG STRUT TO 55PSIG NO LOAD PRESSURE.
8. GREASE FLAP JACK SCREW.
9. REMOVE BATTERY, CLEAN SERVICE CHARGE. CAPICITY TEST 96%, REINSTALL BATTERY.
- 10SERVICE TIRES TO PROPER PRESSURE 68/50.
- 11RESEAL WINDSHIELD.
- 12FOR AD COMPLIANCE SEE ADLOG.

ALL WORK ACCOMPLISHED IAW MFGR. SERVICE MANUAL, AND AC. 43-13-1B.
I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE
WITH AN ANNUAL INSPECTION AND DETERMINED TO BE IN AIRWORTHY CONDITION.
CHRIS M. COLLINS A&P/IA 448708617

8-24-19 1272.5 INSTALL NEW ACS IGNITION SWITCH
PIN: A510-2 C/W AD 93-5-6, NEXT DUE: 3272.5
ALP 448708617

	SUB-TOTAL this page
	TOTAL-Carry forward to next page

1278.2
valleyaviationofwinchester@gmail.com

DATE: 4-8-2020 TACH: 1268.8 TTAF: 3121.6 N326AM TR182 SN:R18201474

1. INSPECT AIRCRAFT IAW AN APPROVED CHECKLIST PER 14 CFR 43 APP. D.
2. OPEN ALL ACCESS PANNELLS, LUBRICATE ALL PULLIES, HINGE POINTS, BELLCRANKS, & ROD ENDS.
3. GREASE MAIN AND NOSE LANDING GEAR, CONDUCT RETRACT TEST IN NORMAL AND EMERG. MODE.
4. TESTED ALL LIGHTS.
5. ELT TESTED PER FAR 91.207, BATTERY DUE:6-2021 .
6. SERVICE HYD POWER PACK AND BRAKE RESIVOR WITH MILL-5606.
7. SERVICE NLG STRUT TO 55PSIG NO LOAD PRESSURE.
8. SERVICE TIRES TO PROPER PRESSURE 68/50.
9. FOR AD COMPLIANCE SEE ADLOG.

ALL WORK ACCOMPLISHED IAW MFGR. SERVICE MANUAL, AND AC. 43-13-1B.
I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE
WITH AN ANNUAL INSPECTION AND DETERMINED TO BE IN AIRWORTHY CONDITION.
CHRIS M. COLLINS A&P/IA 448708617



N326AM TR-182 R18201474


MARCH 30, 2021 TACH= 1304.3 AC TT= 3147.7
PERFORMED ANNUAL INSPECTION PER HAI CHECKLIST IAW FAR 43, APPENDIX D.
AD'S CHECKED THRU 2021-06. C/W AD 11-10-09 SEATS AND RAILS PER INSPECTION. AD
2020-18-01 FWD. CABIN DOORPOST INSPECTION DUE PRIOR TO 4,000 TT OR 200 HOURS
WHICHEVER OCCURS LATER. REPLACED PROP SPINNER WITH NEW 2250123-3. REPLACED
BRAKE DISCS ON BOTH MLG # 164-30615-3. REPLACED BRAKE LININGS ON BOTH MLG.
RESEALED & BLED R.H. BRAKE CALIPER. REPAIRED L.H. BRAKE LINE AT CALIPER AND BLED.
REPLACED AIR FILTER ELEMENT. REPLACED ELT BATTERY BP-1020. DUE AGAIN @ 4/23.
INSPECTED AND TESTED ELT IAW FAR 91.207d.


I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN
ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.

G. ANDRE' FRYE A&P2758458 IA

SUB-TOTAL this page

TOTAL - Carry forward

DATE	TOTAL TIME IN SERVICE	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
		TOTAL	brought forward from previous page
			MARCH 8, 2022 N326AM C-TR182 R18201474 TACH= 1333.0 AC TT= 3176.4 PERFORMED ANNUAL INSPECTION PER HAI CHECKLIST IAW FAR 43, APPENDIX D. AD'S CHECKED THRU 2022-04. C/W AD 11-10-09 SEATS AND RAILS PER INSPECTION. DUE AGAIN @ 3/23 or 1433.0. INSPECTED AND TESTED ELT IAW FAR 91.207d. CLEANED AND RESEALED 2 UPPER L.H. FUEL TANK ACCESS COVERS USING PR1428B2 SEALANT. I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.  G. ANDRE' FRYE A&P2758458 IA
15 April 2022			Installed New Battery CONCORD RG 24-15M

1.		2. McCAULEY PROPELLER SYSTEMS CERTIFICATE OF CONFORMANCE			3. Form Tracking Number: 7654315	
4. Organization Name and Address: McCauley Propeller Systems 5000 Cargo Drive Columbus, GA, 31907 PC4					5. Work Order/Contract/Invoice Number: 1546983	
6. Item: 10	7. Description: DOME ASSEMBLY SPINNER	8. Part Number 2250123-3	9. N/A	10. Quantity: 1	11. Serial/Batch Number: N/A	12. Status/Work: New
13. Conformity Statement: THIS CERTIFIES THAT THE PART(S) LISTED ABOVE CONFORM TO ALL APPLICABLE SPECIFICATIONS AND REQUIREMENTS AND THAT ALL NECESSARY INSPECTIONS, TESTS, AND PROCESSES HAVE BEEN SUCCESSFULLY PERFORMED AND COMPLETED PO# 1761 THE LISTED PART NUMBER HAS BEEN MANUFACTURED TO THE LATEST REVISION OF THE APPROVED ENGINEERING						
14. Lot Number: N/A			19.			
15. Authorized Signature: 		16. Registration Number:		20.	21.	
17. Name (Typed or Printed): STEVE REYNOLDS		18. Date (m/d/y): MAR/26/2021		22.	23.	
The McCauley Manufacturing and Inspection Processes conform to the McCauley Propeller Systems Quality Management System currently registered to AS9100: 2016 Rev D.						

McCauley Propeller Systems Form No. QC-511

Issue Date: 2/23/16