

Manufacturer MOONEC	/ Me	odel <u>M20</u>	K
Serial 25-0026	Re	egistration Number_	N 231 CA
Date of Manufacture			
Engine(s) currently installed:			
Manufacturer	Model	Seri	al
Manufacturer	Model	Seri	al
Propeller(s) currently installed	:		
Manufacturer	Me	odel	
	• • •	Sari	al
HUB Model	Serial		
HUB Model			Serial
	Serial	Serial	
Blade Model	Serial	Serial	Serial

MONARCH AVIATION, INC. 627 AIR PARK ROAD, DEFUNIAK SPRINGS, FLORIDA. 32435. YEAI F.A.A. CERTIFIED REPAIR STATION # V9MR 280Y. MOONEY M20K. N231CA. TT: 182.4. WO: 4236. DATE. JULY 1, 2020. DATE - THE FOLLOWING ITEM WAS REMOVED: SUSPECT/INOP ROLL SERVO 1C508-1-523R (SN.7633A). THE FOLLOWING ITEMS WAS INSTALLED: REPAIRED ROLL SERVO 1C508-1-523R (SN. 7633A). REF: CENTURY FLIGHT SYSTEMS, INC. FAA FORM 8130-3, WO. 6220, DATED JUNE 16, 2020. CARRIED OUT SATISFACTORY FUNCTIONAL TEST AND CONFIRMED CORRECT OPERATION. CARRIED OUT SATISFACTORY FLIGHT TEST AND CONFIRMED CORRECT OPERATION AND INDICATION. AUTHORISED SIGNATURE FOR MONARCH AVIATION, INC. MAINTENANCE RELEASE. THE MAINTENANCE CARRIED OUT ON THE AIRCRAFT IDENTIFIED ABOVE WAS CARRIED OUT AND INSPECTED IN ACCORDANCE WITH CURRENT MAINTENANCE REGULATIONS OF THE FEDERAL AVIATION ADMINISTRATION. THE ABOVE AIRCRAFT IS APPROVED FOR RETURN TO SERVICE. RELEVANT DETAILS OF THE WORK CARRIED OUT ARE HELD ON FILE AT THIS REPAIR STATION UNDER: WORK ORDER # 4236. DATED: JULY 1, 2020.

AUTHORISED SIGNATURE FOR MONARCH AVIATION, INC.

AR	TOTAL	Current Weigl	nt and Balanc	e Information	
TE .	SERVICE	Empty Weight	Empty CG	Useful Load	Remarks
		1			
	AD's checke time. ELT of	100 hour/Annual inspect thru this date, no schecked IAW FAR 9 nding gear warning s	new or recurring 1.207, battery du	AD's due at this e Sep 2024.	
				,	
2	I certify that inspection a	t this Airframe has b and found to be in an	een inspected IA	W an Annual	

Date	Model	Tail #	or Popair Faci	with Name, Rating an	or other enecisi-
October <b>4, 2021</b>	M20K	N231CA	noi nepaii rac	ility. (See back pages f	or other specific e
Hobbs: 236.6	Serial # 25-0026				
Reupholster interior Moore & Giles: Tribo nc.: Firex 1000 RTU High-Resiliency 3" pa from Bry-Tech treate Coatings passes per treated with America treatment), SewPini FireExtra 1000 RTU for 23.853(a). Carpet: Do 14 CFR 23.853(a). Installed new Vantage (130197-014, K1302) (130271-055, K1302) (130308-027, K1303) Work performed to be	using the following appleca Oyster treated with additional treatment, Flasses per 14 CFR 23.853 and with FireExtra 1000 Flat CFR 23.853(a). Side an Fire Coatings, Inc.: Fix sew foam, from Bry-Terom American Fire Coatings and Fir	RTU from American Fire panels: Tribeca Oyster irex 1000 RTU additional ech treated with tings passes per 14 CFR ts: 585 Cobalt passes per 99-005, K130197-013, K130308-047, K130277-067,	0	Replaced Vacuum pump P/N AA2315CC with same P/N and S/N 0T9E11. All work C/W AC 43.13. This aircraft approved for return to service.  Lee Munshewer AP167666230	

EAR	RECORDING TACH	TODAY'S FLIGHT	TOTAL TIME IN	Entries must be endors	pections, Tests, Repairs and Alterations ed with Name, Rating and Certificate Number of ecility. (See back pages for other specific entries.)
DATF	VEV-A		Mari	Industrial Park Drive, ianna, FL, 32423 s://nevilleaviation.com	
— 91 207.	attery due Sep 2	ual inspectio ring AD's du 024.	n I.A.W. Moon e at this time.	ey MM. AD's checked thru ELT checked IAW FAR in Annual inspection and found Lee Munshower AP167666230IA	

Date: 10-27-2022	YEAR 20 Date
Altimeter System Tests performed to comply with CFR 91.411 and CFR 43 Appendix E has been tested to	
18,000 Feet for N23/CA	まる器
Make/Model: <u>ASROSONIC</u> 101627-01696 Serial Number: C115044	RECORDING TACH TIME
Serial Number :	
Work Order #	TODAY'S Flight
Authorized Signature Han Bullland	2 = =
Great American Barnstormers Inc. 7824 Skyhawk Road Pace, FL 32571 FAA CRS# N9OR246Y	TOTAL TIME IN SERVICE
PAR CRS# N9OR246Y	를 뜨 💆
I Certify this ATC Transponder	tries chnic
Model G [X 3 3 5	mus;
SIN 355020259	Description of In Intries must be endo echnician or Repair
as installed in this aircraft <u>N 23/CA</u> has been tested as required by CFR 91.413 and meets the requirements of CFR 43 Appendix F for operation.	
Work Order#	with (S
Great American Barnstormers Inc. 7824 Skyhawk Road Pace, FL 32571 FAA CRS# N9OR246Y	spections, Tests, Forsed with Name, Rating Facility. (See back page)

ns of s.)	YEAR 20 23 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	<b>Description of Inspections, Tests, Repairs and Alterations</b> Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
-	02-08-23	298,7			INSTALLED NEW GILL BATTERY
					FORM TRACKING NUMBER 5898-D. APPROVED
					AUTHORIZATION NUMBER 739608531
					PMA NUMBER: Pà 1006 NM WORK ORDER NUMBER
	-				*
	-				

YEAR 20 Date	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Entries must be endorsed with Name, Rating and Certificate Technician or Repair Facility. (See back pages for other specific pages)	a Ni.
_ Serial #	5 Dec 2023 : 25-0026 : M20-K		302	lightLine Services, LLC. 1 Moonlight Bay Dr. City Beach, Florida 32407 (850)896-6792	
` .			±. 	AIRFRAME	
- (I) "O!	VE "Ferry as necessary	Flight fro	om KMAI 1	0K and Serial # 25-0026, Has been Inspected for to KECP for Annual Inspection with/and/ or for all intended for one direct flight only to the listed —END———————————————————————————————————	
4	0/1/	1 100			
Keith 3	Palmer A/P	2701905			
associated	decumentation a	nd the FAA	Regulations. O	et this time, this Airframe was Inspected in accordance with current only those items specified here-in have been Inspected and found to be intations concerning Airworthiness are expressed or implied.	
					_
***************************************					
		J			

2 D

R	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	<b>Description of</b> Entries must be en Technician or Repa	dorsed with Na	me, Rating and	Certificate Num	ber
		: 06/12/20		Hobbs: 321.1 AFTT:	2378.5			
		: N231CA						
		e: Mooney		Model: M20K		25-0026		
	appe	ndix D as	nnual inspecti a quide Instal	ion on this airframe us led new instrument air	sing Mooney MM	and FAR 43		
	Remo	oved batte	ry box corrosic	on. Resealed left and	right fuel tanks. F	Removed ELT for		
	repair repair	ir Ameri-Kir	ng AK-451-(AF	F)(AP)(S) S/N 2573, p	lacard installed in	n aircraft. C/W AD		
	84-26	6-02 by ins	talling new inc	duction paper filter AM	1108365FP. C/W	AD 23-09-09 tail		
	check	ked to date	. I certify that	on per para (i)(2) of A this airframe has been	D. Replacement	due 7/2025. AD's		
	annua	al inspection	on and is deter	rmined to be in airwor	thy	Cordance with an		
	condi	ition						
	Name	e: Donald	Stafford		Cert: A8	&P 3647522 IA		
	Co	o: DC Avia	ation LLC		Sign:	1111		
					Jour,	GAG		
		THE RESERVE OF THE PARTY OF THE						
					A STATE OF THE STA			

RECORDI	th Name, Rating and Certificate Number (See back pages for other specific en		TOTAL TIME IN SERVICE	TODAY'S FLIGHT	RECORDING TACH TIME	YEAR
TACH					1	DATE
-	Page 1/1	and the second s	24)	(08-08-20	243-07-2024	
	W/O #: 4243-07-2024 DATE: 08-08-2024 A/C TT: 2384.0	Road	Don Maxwe		MAKE: MODEL:	ī
	A/C Tach: Hobbs: 329.6	X 7 3 0 0 3	Longview,	31CA	8/N: REG. NO: N23	
	3 complied with by opening top	nt fuel tank (2) AD 85-2 Jusly plugged IAW SB M2	n left and rigl		irframe Entr	
	WORK ORDER: 4243-07-2024	D. 1.00	050	&P 1784	on Maxwell A	
	Printed by EBIS (EBISCloud.com)	imber: 1784050	Don Maxwell		ATE: 08-08-2	_ <u>D</u>

RDING	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Entries must be endorsed with Nar Technician or Repair Facility. (See	Tests, Repairs and Alterations me, Rating and Certificate Number of back pages for other specific entries.)
. 1	9			Page 1 / 1
MA MC S/	AKE: Moo ODEL: M2 N: 25-002 EG. NO: N	0K 6	2025)  Don Maxwell Aviation Services, In 390 Central Road Longview, Tx 75603	W/O #: 4484-04-2025 DATE: 05-05-2025 A/C TT: 2384.0 A/C Tach: Hobbs: 329.6
(1) Dire	ectional G ors. Need:	right wing tyro for on s test fligh	g outbd fuel tank top fwd corner with CS se on our removed shelf. Checks good out to the total t	11 4.04.14
				performed.
Thi	s aircraft i	s airworth	sy and return to service based on work p	
Thi		s airworth	ey and return to service based on work	WORK ORDER: 4484-04-2025 Printed by EBIS (EBISCloud.com

Description of Inspections, Tests, Repairs and Alteration Entries must be endorsed with Name, Rating and Certificate Number Technician or Repair Facility. (See back pages for other specific entries)

Aircraft Logbook Insert: June 20, 2025

**N231CA** 

Mooney M20K SN: 25-0026

Tach Time: 367.1 TSMO: 1502.2 TTAF: 2426.5

## Description of work performed:

Performed Annual Inspection IAW Mooney Service Manual and FAR 43 (D). Removed wheels, tires, and wheel bearings. Cleaned inspected, and repacked all wheel bearings with Marine Bearing Grease. Inspected all brake pads, found to be in good condition. Replaced Right Main & Nose tire with new Air Hawk tires 6.00 X 6 and 5.00 X 5 respectfully. Reinstalled wheels tires, brakes, and greased landing gear system with Shell Grease #5. Lubricated flight controls, push rods, hinge points, and help bearings. Flight Control / Landing Gear System, inspected. Performed landing gear retraction test and checked landing gear rigging. Performed 10 gear retractions/extensions, and checked for binding at all hinge points, all found to be fault free. Used FAA approved KNR Mooney landing gear preload rigging tool (main gear) P/N 61SR208D (Mooney P/N 8444). Checked stall warning horn, lights, radios, and all flight controls for proper operation. ELT Inspected and tested per FAR 91.207(c & d). Battery Expires: May 2031. All Airworthiness Directives checked through Bi-weekly issuance 2025-12.

I certify this aircraft was inspected IAW an Annual Inspection and was determined to be in airworthy condition at the time of Dy S. Blair Jr

inspection and is approved to return for service.

A&P / IA 3627328

RECO