

5813F

The Standard



AIRCRAFT LOG

AIRCRAFT RECORD — GENERAL INFORMATION

MANUFACTURER Mooney Aircraft Corp. MODEL M20J SERIAL 24-1563
REGISTRATION NUMBER N5813F DATE MFG. 1985

ENGINE(S) CURRENTLY INSTALLED.

MFG Lycoming MODEL IO-360-A3B6D SERIAL 6-24181-51A

MFG _____ MODEL _____ SERIAL _____

PROPELLER(S) CURRENTLY INSTALLED.

MFG McCawley MODEL _____

HUB MODEL B2D34C214 SERIAL 850222 SERIAL _____

BLADE MODEL 90DHB-14E SERIAL FB093 SERIAL FB096 SERIAL _____

BLADE MODEL _____ SERIAL _____ SERIAL _____ SERIAL _____

The Standard



AIRCRAFT LOG

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
19 <u>85</u>				
				PRODUCTION FLIGHT TEST COMPLETED THIS DATE THIS AIRCRAFT INSPECTED NEW MOONEY AND FOUND TO BE AIRWORTHY.
10/30			1.9	Joel G Smith 2106562
				THIS AIRCRAFT HAS BEEN FLIGHT TESTED IN ACCORDANCE WITH MOONEY AIRCRAFT SPECIFICATION 020009 AND FOUND SATISFACTORY.
11/1			3.1	Joel G Smith For FAA Ft Worth Reg

[illegible]

DATE 19-85	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
				I certify that A T C Transponder Tests required by FAR 91.172 have been performed. Mooney Aircraft Corp. TC 213 By [Signature] 11-8-85
				I certify that the Altimeter and Static System tests required by FAR Parts 91.17 have been performed. The altimeter has been tested to 20,000 feet. 7-2-85 By Moorey Aviation Co. TC 2A3 [Signature] 11-8-85
				I have inspected this aircraft and found it complies with the requirement of FAR 21.183(b) Certificate of Airworthiness dated 11-8-85 was issued by me. [Signature] D-IN SW-2041
				I certify that the encoding altimeter tests required by FAR 91.36(b) have been performed. Mooney Aircraft Corp. TC 213 By [Signature] 11-8-85

DATE 1985	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
11-27-85				Removed Autopilot Computer KC192 Ser No 40544. Repaired and incorporated change per KING Radio Alert Service Bulletin No 9 dated November 6, 1985. Reinstalled & Tested A/P OK. Ransome Air AVIONICS CRS109-44 James R. Pollan
12-10-85				Complied with KING Radio KS177/178-3 'ALERT' Service Bulletin. Ransome Air AVIONICS CRS109-44 James R. Pollan

DATE 19 ⁸⁵	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
12/10				AD 85-23-07 C/w by Pensant Air Avionics Chris [Signature] 1959441TA
2/11/86	100	0	100	Complied with 100hr/ANNUAL insp I/Aw Part 43 details on Shop insp Form C/AM insp. Surgeon oil W/TK/1 Bearings AD 85-24-3 N/A by S/N AD 86-01-00 N/A by Model # AD 85-25-02 A/cw Lubricate I/Aw Mgmt Maint Manual Cont NEXT Page —

DATE 19 <u>86</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
2-11	100		100	Tachometer...100 hrs. Total Time...100 hrs. I certify that this (aircraft) (engine) has been inspected in accordance with a ANNUAL (100 HOUR) inspection and was deter- mined to be in airworthy condition. Dated 2-11-86 W/O # 45504 Signed <i>[Signature]</i> 19594405A
2-4	110		110	AD 86-01-06 Airborne Pumps N/A by Model # AD 86-05-02 United Instruments N/A Breeding Airman 14561/60 <i>[Signature]</i> 19594415A

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
				COMPLIED WITH 100 HR/ANNUAL INSPECTION I/A/W/ PART 43 DETAILS ON SHOP INSPECTION FORM. DRAIN OIL & CHANGE FILTER, CLEAN GAP & TEST SPARK PLUGS. CK'D MAGNETO TO ENGINE TIMING. COMPRESSION TEST #1 _____ #2 _____ #3 _____ #4 _____ #5 _____ #6 _____ ENGINE RUNUP CK. OK. AD'S CK'D TO DATE.
5/28/86	200	—	200	COMPLIES WITH 100HR/ANNUAL INSPECTION I/A/W PART 43 DETAILS ON SHOP INSPECTION FORM INSPECT ALL CABLES & PULLEYS. CLEAN INSP. AND REGREASE ALL WHEEL BEARINGS CK'D CABLE TENSION AND CONTROL SURFACE TRAVEL. AD'S CK'D TO DATE.
				Replaced Right Brakes, Replaced fuel pump O-rings & ADS & Lubed caps Detailed A/C. (SEE NEXT PAGE FOR SIGN OFF) →

DATE 19 <u>56</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
5/28	200	—	200	Tachometer...<u>200</u>... Total Time...<u>200</u>... I certify that this (aircraft) (engine) has been inspected in accordance with a ANNUAL (100 HOUR) inspection and was determined to be in airworthy condition. Dated...<u>5/28/56</u>... W.O.# <u>45979</u> Signed...<u>[Signature]</u>... 13964/126.
8/16	300		300	COMPLIES WITH 100HR/ANNUAL INSPECTION I/A/W PART 43 DETAILS ON SHOP INSPECTION FORM INSPECT ALL CABLES & PULLEYS. CLEAN INSP. AND REGREASE ALL WHEEL BEARINGS CK'D CABLE TENSION AND CONTROL SURFACE TRAVEL. AD'S CK'D TO DATE CK'D Gear Pinion Nose 125 Lt Main 280 Rt Main 275 Restriction Test Normal.

cont. Next Page

DATE 19 <u>86</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
10-2	357.2		357.2	Replace landing light Replaced Rt brakes linings 50 hr. insp. Service Chris Heston 19594411A
11-26	400.0		400.0	COMPLIES WITH 100HR/ANNUAL INSPECTION I/A/W PART 43 DETAILS ON SHOP INSPECTION FORM INSPECT ALL CABLES & PULLEYS. CLEAN INSP. AND REGREASE ALL WHEEL BEARINGS CK'D CABLE TENSION AND CONTROL SURFACE TRAVEL. AD'S CK'D TO DATE. ck'd gear pre-loads (Nose 175 Lt 245 R 275) c/w Retraction CK Normal & Emergency. Replaced Lt. & Rt Main gear tires Coni Nori Pogo

DATE 1986	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
12-26	400 hrs		400 hrs	CLEAN BATHING POTS, & WIRE TRIMMINGS Installed 4 Brackets & 4 Hooks achometer..... Total Time..... I certify that this (aircraft) (engine) has been inspected in accordance with a ANNUAL (100 HOUR) inspection and was deter mined to be in airworthy condition. Dated 12-26-86 W.O.# 51206 Signed..... Charles H. H. 19594415A
12-17-86	409.5		409.5	Replaced vacuum relief valve PH 2H3-39 C/o Mooney SIB M20-234 by replacing 96A 4200-002-2 CB's, 26A 4200-002-5 CB's & 76A 4200-007-5 CB's Charles H. H. 19594415A

DATE 19 <u>87</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
2-6	450 hrs		450 hrs	Replaced Lt Wing Fuel Nozzle P/N F-391-53-5 AERO VENTURE INC. Trenton-Robbinsville Airport Robbinsville, N.J. 08691 587-1250 585-9527 [Signature] 1959441JA
3-19-87	492 hrs		492 hrs	Replaced Section during RT Wing [Signature] 1959441JA

DATE 19 <u>87</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
3/26	515.4		515.4	COMPLIES WITH 100HR/ANNUAL INSPECTION I/A/W PART 43 DETAILS ON SHOP INSPECTION FORM INSPECT ALL CABLES & PULLEYS. CLEAN INSP. AND REGREASE ALL WHEEL BEARINGS CK'D CABLE TENSION AND CONTROL SURFACE TRAVEL. AD'S CK'D TO DATE. Gas retraction test Normal Emergency ck'd landing gear pre loads changed Nose gear tire replacement vacuum valve filter lubricator Aircraft tachometer.....515.4 Total Time.....515.4 I certify that this (aircraft) (engine) has been inspected in accordance with a ANNUAL (100 HOUR) inspection and was deter- mined to be in airworthy condition.
				Dated 3-26-87 W.O.# 50539

Signed..... *Charles H. Hobbs* 19534915A

AERO VENTURE INC.
Trenton-Robbinsville Airport
Robbinsville, N.J. 08691
587-1250 585-9527

DATE 19 ☒	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
4-7	534		534	Note: For Further Engines After This date See engine System log #2. AERO VENTURE INC. Trenton-Robbinsville Airport Robbinsville, N.J. 08691 587-1250 585-9527 195944112
5/1/87	545		545	c/w 50 Hr. servicing & Replaced LDb. light serviced w/ #873, w-80 Aeroshell. Mini Maintenance At 11 139641126

[illegible]

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
19 <u>91</u>				
11/20				Removed, Repaired, Reinstalled Encoding Altimeter King KEA130A SN 17928 W.O.# 377-91. Replaced defective Encoding Altimeter lighting tray. Removed ELT. Replaced out of date battery w/ new ARTEX battery. Reinstalled ELT & tested. Static & Transponder System Tests performed I/C/W FAR 91.411 & FAR 91.413.
				COMMANDER INSTR. & AVIONICS FAA CERTIFIED REPAIR STATION #ZE4R697M P. O. BOX 1049 CHESTER, S. C. 29708



[Signature]
for

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES)
I certify that the Altimeter, Altitude Reporting and Static System tests required by FAR 91.171 have been complied with. W.O.No. _____				I certify that the Transponder and System Tests required by FAR 91.172 have been complied with.
Make <u>United</u> LH Altim. <u>United</u> Encoder <u>United</u>				Make <u>King</u> No. 1 Xpdr. <u>King</u> No. 2 Xpdr. _____
Mod. <u>KEA130A</u> RH Altim. <u>KEA130A</u> Mod. <u>KT76A</u>				Mod. <u>KT76A</u>
S/N <u>17928</u> S/N <u>17928</u>				S/N <u>45569</u>
Tested to: <u>20,000 ft.</u> <u>20,000 ft.</u>				W.O. No. <u>R402-91</u>
Signed: <u>JG Johnson</u> Date <u>11/20/91</u>				Signed <u>JG Johnson</u> Date <u>11/20/91</u>
Commander Instruments & Avionics				Commander Instruments & Avionics
FAA Cert. Repair Sta. # <u>ZE4R697M</u>				FAA Cert. Repair Sta. # <u>ZE4R697M</u>
Chester County Airport				Chester County Airport
Chester, SC 29706				Chester, S. C. 29706
Recertification Due by: <u>11/93</u>				

SKYCOM AVIONICS, INC.

AIRCRAFT LOG ENTRY

Description of work done:

Removed faulty cooling fan + installed new King KA-33 cooling fan. Removed KWS80 S/N 13239 for repair. Cleaned pots on computer board tested + installed in A/C. Removed faulty T/coordinator S/N 764-96 + Installed OHT unit S/N 842-249. Wired Bar Litch to existing Litch wires

encl

The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Aviation Regulations and was found airworthy for return to service. Pertinent details are on file at this agency under the following work number.

Date:

12/9/91


Tach:

937.6

W.O.

301198

Signed



TIMMERMAN FIELD

9305 W. APPLETON AVE.

MILWAUKEE, WI 53225

(414) 463-8180

☐ F.A.A. No. NC5R-062N



CRITES FIELD

24151 W. BLUEMOUND RD.

WAUKESHA, WI 53188

(414) 521-8180

☐ F.A.A. No. NC5D-062N



KENOSHA MUNICIPAL AIRPORT

9420 - 52ND ST.

KENOSHA, WI 53144

(414) 652-8120

☐ F.A.A. No. NC52-062N

ONS
ABER OF
ENTRIES.)

DATE 1992	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
1-31	972.2			REMOVED OLD FUEL PRESSURE TRANSDUCER. INSTALLED UPGRADED FUEL PRESSURE TRANSDUCER AND AMPLIFIER SYSTEM. INSTALLED NEW LANDING LIGHT.
				The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Aviation Regulations and was found airworthy for return to service. Signed <u>Charles W. Hays</u> for Kenosha Aero, Inc., Certificate No. KABR 076A
TRANSFERRED TO AD LOG SYSTEM OUT KABR076A				

[illegible]

