

## F.A.R. 43.9

A/F LOGS VOL III N217Q

## F.A.R. 43.9

**Mark**

# INSPECTION RECORD

F.A.R. 43.11 - 91.217

AGENCY & CERTIFICATE  
WORK PERFORMED/RETURNED

TE

AIRCRAFT TIME  
IN SERVICE

KIND OF INSPECTION - STATUS & DISCREPANCY LIST  
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

TORNADO ALLEY TURBO, INC.  
300 AIRPORT ROAD  
ADA, OK 74820

AIRFRAME LOG ENTRY

DATE: 12/21/00

N217Q

BEECH S-35 S/N D-7680

TACH 1873.9

Removed intercooler and induction system plumbing installed previously IAW Master Drawing List FT-B8.5/1- and STC SA5223NM. Installed "Rammer" Intercooler System IAW Master Drawing List TAT-B-MDL, Rev. C and Drawing No. ETI-B-01, Rev. NC. Data remains under STC SA5223NM, previously installed. Removed, sent for OH and re-installed fuel selector valve. Op's, leak, and run-up check good. Weight and Balance change negligible.

*Mark A. Schofield* A&P523740393IA

Mark A. Schofield A&P523740393IA

# INSPECTION RECORD

## F.A.R. 43.11 - 91.217

| F.A.R. 43.11-91.217                                                             |                          |                                                                                                                         | KIND OF INSPECTION - STATUS & DISCREPANCY LIST |     |
|---------------------------------------------------------------------------------|--------------------------|-------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-----|
| SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE |                          |                                                                                                                         | DATE                                           | AIR |
| DATE                                                                            | AIRCRAFT TIME IN SERVICE |                                                                                                                         |                                                |     |
| 8-30-01                                                                         | 1796.5                   | FUEL SYPHONING OUT VENT, REMOVED R/K VENT VALVE + CLEANED + REINSTALLED SAME. FLIGHT + FOUND OK<br>Jm Lemari ATP1657884 |                                                |     |
| 2-9-01                                                                          | 1934.6                   | REPLACED MAIN DOOR SEAL<br>Jm Lemari ATP1657884                                                                         |                                                |     |
| 4-23-01                                                                         | 1974.4                   | REPLACED NOSE TIRE FLIGHT CUSTOM II 500 X 5 GPR + TUBE WITH NEW REPACK BEARINGS<br>Jm Lemari ATP1657884                 | 4/01                                           |     |

# INSPECTION RECORD

F.A.R. 43.11 - 91.217

| AIRCRAFT FOR SERVICE | DATE | AIRCRAFT TIME IN SERVICE | KIND OF INSPECTION - STATUS & DISCREPANCY LIST<br>SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE |
|----------------------|------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| 2.0 R/K VEN.         |      |                          |                                                                                                                                   |
| FLIGHT 7             |      |                          |                                                                                                                                   |
|                      |      |                          |                                                                                                                                   |
|                      |      |                          |                                                                                                                                   |
|                      |      |                          |                                                                                                                                   |
|                      |      |                          |                                                                                                                                   |
|                      |      |                          |                                                                                                                                   |
|                      |      |                          |                                                                                                                                   |
|                      |      |                          |                                                                                                                                   |
|                      |      | T606                     |                                                                                                                                   |
| CUSTOM II            | 10/1 | 1983.5                   | C/W AD 72-22-02 by Insp + lube of uplock                                                                                          |
| REPACK               |      | T.T.A.F. 2023.6          | rollers, C/W AD 76-07-12 by OPS ck ok, C/W AD                                                                                     |
| 7884                 |      |                          | 89-05-02 by Vis insp of control fittings ok,                                                                                      |
|                      |      |                          | C/W AD 95-04-03 by Visual insp of spar carry                                                                                      |
|                      |      |                          | through, C/W AD 94-20-04 by Visual Insp. of                                                                                       |
|                      |      |                          | V-tail bulkhead, Inspect elt I/A/W FAR 91.207                                                                                     |
|                      |      |                          | A(n) was ok I have inspected this Aircraft                                                                                        |
|                      |      |                          | I/A/W An Annual Inspection and found it to                                                                                        |
|                      |      |                          | be Airworthy @ this time. <i>Timothy A. H. Porter</i>                                                                             |
|                      |      |                          | APP 259787531IA                                                                                                                   |



# INSPECTION RECORD

F.A.R. 43.11 - 91.217

KIND OF INSPECTION - STATUS & DISCREPANCY LIST  
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

| DATE    | AIRCRAFT TIME IN SERVICE |                                                                                                                                                                                         | DATE |
|---------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 2-10-64 | 379.2                    | changed tach to electric tach TACH TIME 379.2                                                                                                                                           | 15-0 |
| 8-16-02 | 469.0                    | I certify that this AIRCRAFT has been inspected in accordance with A 100 H inspection and was determined to be in airworthy condition.<br>Tach Time 469.0<br>J.W. Lemon ATP 1657884     | 15-0 |
| 8/16/02 | 7237.7                   | I.T. I certify that this aircraft has been inspected in accordance with a 100 H inspection and was determined to be in airworthy condition.<br>Richard A. Roberts ATP 259 78 75 31 J.A. |      |
| 1-8-03  | 520.0                    | Replaced ELT ANTENNA PW 3001 J.W. Lemon ATP 1657884                                                                                                                                     | 14-0 |
| 1-27-03 | 525.0                    | changed Both main TIRES + Replaced ALL 8 RUCKS & Repacked wheel BEARINGS.<br>J.W. Lemon ATP 1657884                                                                                     |      |
| 1-31-03 | 525.0                    | INSTALLED + TESTED STROBE LIGHT, Model 4400<br>STC SA200RM<br>J.W. Lemon ATP 1657884                                                                                                    |      |

# INSPECTION RECORD

## F.A.R. 43.11 - 91.217

| ICE   | DATE   | AIRCRAFT TIME IN SERVICE | KIND OF INSPECTION - STATUS & DISCREPANCY LIST<br>SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE                                                                                                                                                                                                                                                                                                    |
|-------|--------|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 79.2  | 15-03  | 566.49                   | REPLACED AIRCRAFT BATTERY with G11 G355<br>SN 602091306<br>J. W. Simon ATP 1657884                                                                                                                                                                                                                                                                                                                                                   |
| 15-03 | 566.49 |                          | <div> <p>I Certify that this AIRCRAFT has been inspected in accordance with A 100HR inspection and was determined to be in airworthy condition.<br/>Took Time 566.49<br/>J. W. Simon ATP 1657884</p> </div> <div> <p>I Certify that this Aircraft has been inspected in accordance with AN Annual inspection and determined to be in airworthy condition.<br/>Took Time 566.49<br/>Michael J. Duskala<br/>ATP 259787531J.</p> </div> |
| 57884 | 1-04   | 673.88                   | <div> <p>I Certify that this AIRCRAFT has been inspected in accordance with A 100HR inspection and was determined to be in airworthy condition.<br/>Took Time 673.88<br/>J. W. Simon ATP 1657884</p> </div> <div> <p>673.88 REPLACED RIGHT HAND ELIVATE FROM STEBBINS AVIATION INC. PAINTED &amp; BALANCED ELIVATE &amp; INSTALLED with new hardware. FLIGHT TESTED same &amp; Found OK.<br/>J. W. Simon ATP 1657884</p> </div>      |

ALL 81

100

# INSPECTION RECORD

## F.A.R. 43.11 - 91.217

KIND OF INSPECTION - STATUS & DISCREPANCY LIST  
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

DATE

DATE

AIRCRAFT TIME  
IN SERVICE

03/06/04

Beechcraft S-35 SER.D-7680 Tach-673.88 T.T.A.F. -  
7442.58 complied with annual inspection this date i/a/w/  
Beechcraft service guide tested elt i/a/w/ f.a.r.91.207[a]  
[d] ok for continued service battery exp. Date 03/08/  
alkalines, researched a.d.'s thru/2004-11, I certify that  
this airframe has been inspected i/a/w/ an annual insp.  
And was detemined to be airworthy at this time.  
Richard S. Desportes A&P 259-78-7531 I.A.  
Signature: *Richard S. Desportes* Date-11/04/04

005



# INSPECTION RECORD

F.A.R. 43.11 - 91.217

KIND OF INSPECTION - STATUS & DISCREPANCY LIST

SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

AFT FOR SERVICE

DATE  
05

AIRCRAFT TIME  
IN SERVICE

Replaced fuel Cells with new cells from Eagle Technologies Co.  
Replaced tank drain valves with new drain valve kits IAW. STC.  
SA01110CH see 337 Replaced fuel senders with OHC units from Air  
Parts of Lock Haven. Tested for leaks none found OPS normal.

REGISTRATION: N217Q  
HOBBS TIME: 692.0

DATE: 04/01/05  
TOTAL TIME 744.3

HEDDEN AIRCRAFT MAINTENANCE  
202A AIRPORT PARKWAY.LAGRANGE, GA 30240 (706) 302-6151

Peter Van Leeuwen  
A&P 17321251 IA

*Peter Van Leeuwen*

# INSPECTION RECORD

F.A.R. 43.11 - 91.217

KIND OF INSPECTION - STATUS & DISCREPANCY LIST  
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

DATE

AIRCRAFT TIME  
IN SERVICE

DATE

AIRC  
IN

2005

24 JUN.

LT. MAIN GEAR LEAKING FLUID. JACKED AIRCRAFT REMOVED  
LT. MAIN GEAR. REPLACED O RINGS, PACKING AND SCRAPER.  
REASSEMBLED GEAR, INSTALLED AND SERVICED PER BEECH  
S/M. OPERATED GEAR 3 FULL RETACT AND EXTENSIONS.  
FOUND OKAY FOR RETURN TO SERVICE.

REGISTRATION: N 217Q  
HOBBS: 700.0

DATE: 24/06/05  
TOTAL TIME: 7462.3

HEDDEN AIRCRAFT MAINT. CORP.  
202A AIRPORT PKY. LAGRANGE GA. 30240 678-576-2265

S. HEDDEN  
A&P 2144311

*S. Hedden*

13 SEPT

725.0

INSTALLED FUEL TRANSMITTER KIT PIN 55-9018-15,  
WING. FUEL ALC FOR LEAK CHECK, NO LEAKS FOUND  
RT FUEL GAGE INTERMITTENT; WILL HAVE GAGE O/H AT AM  
*S. Hedden A&P 2144311*

6

7

7

7

746

# INSPECTION RECORD

F.A.R. 43.11 - 91.217

KIND OF INSPECTION - STATUS & DISCREPANCY LIST

SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

THE ALTIMETER AND STATIC SYSTEM TESTS REQUIRED BY F.A.R PART 91.411

HAS BEEN PERFORMED THIS DATE 14 Dec 05

ALTIMETER TESTED IN COMPLIANCE WITH APPENDIX E PART 43

TO 15000 FEET. DATE 14 Dec 05 STATIC SYSTEM CHECK

PERFORMED BY RAY ALLEN'S ELECTRONICS, INC. BUTLER, GA. F.A.A.R/S

#HS4R243M

SIGNED R Allen DATE 14 Dec 05

DATE 14 Dec 05 I CERTIFY THIS ATC TRANSPONDER

(MAKE) NARCO (MODEL) AT-150

(SERIAL#) — HAS BEEN TESTED, INSPECTED AND FOUND TO

COMPLY WITH APPENDIX F OF F.A.R. 43 AND PART 91.413 F.A.A. R/S#HS4R243M

SIGNED R Allen DATE 14 Dec 05

TESTS PERFORMED BY RAY ALLEN'S ELECTRONICS, INC. BUTLER, GA.

TACH clw Annual 7 hrs per Boettl S/M. ELT checked  
727.0 per FAR 91.207 rev'd, OK for service, Batteries due  
7489.3 change mtd. 2010. Replaced nose gear steering  
ADon Bushing, PIN 4799, BCT PIN AN24-25 + SPACER  
PIN 35-825053. Removed RT Fuel Gage for O/H. GAGE  
O/H per AIRPARTS OF LOCK HAVEN WO#054138, Reinstalled  
GAGE + EQ removed for MTC. GAGE ops checks good. clw  
Emergency Gear Extension Test. Replaced Air Filter  
FILTER PIN B2 7112. Taxi checked ACFT for Return  
to service over 7

55-5018-15

10 LEADS

16 O/H

14311

# INSPECTION RECORD

## F.A.R. 43.11 - 91.217

KIND OF INSPECTION - STATUS & DISCREPANCY LIST  
SIGNATURE -- CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

| DATE      | AIRCRAFT TIME IN SERVICE |                                                     | DATE     | AIRCRAFT TIME IN SERVICE |
|-----------|--------------------------|-----------------------------------------------------|----------|--------------------------|
| 02 JAN 04 | 727.0                    | CLW AD 72-22-01 UP LOCK ROLLERS, 74-07-12 BENT      | FEB 2001 | 789.0                    |
| 727.0     |                          | THE SWITCH CK. 89-05-02 RT ELEVATOR CONTROL Fitting |          | 1551.0                   |
| 71 7489.3 |                          | check. 94-20-04 R2 V-TAIL BULKHEAD Insp. 95-04-01   |          |                          |
|           |                          | WING FRONT SPAR Insp. 97-14-15 CABIN DOOR LOCK      |          |                          |
|           |                          | 01-08-08 V-BAND EXHAUST CLAMP Insp. 01-23-10 DIA    |          |                          |
|           |                          | NO DISCREPANCY FOUND. AIRCRAFT OK FOR SERVICE.      |          |                          |
|           |                          | S. Herdell AFD 2144311                              |          |                          |
|           |                          | DATE 02 JAN 04 TT 7489.3                            |          |                          |
|           |                          | TACH/HOBBS 727.0 I CERTIFY THAT                     |          |                          |
|           |                          | THIS AIRCRAFT HAS BEEN INSPECTED IN                 |          |                          |
|           |                          | ACCORDANCE WITH A ANNUAL                            |          |                          |
|           |                          | INSPECTION & FOUND TO BE IN AIRWORTHY               |          |                          |
|           |                          | CONDITION. SIGN S. Herdell                          |          |                          |
|           |                          | NO 2144311 IA                                       |          |                          |
| 02 JAN    | 727.0                    | CLW AD 05-12-06 LT MOD P/N 10-349350-5, and         |          |                          |
|           |                          | FOR SERVICE. S. Herdell AFD 2144311 IA              |          |                          |

# INSPECTION RECORD

F.A.R. 43.11 - 91.217

| FOR SERVICE     | DATE     | AIRCRAFT TIME<br>IN SERVICE | KIND OF INSPECTION - STATUS & DISCREPANCY LIST<br>SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------|----------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 07-12 Beech     | FEB 2007 |                             | <p>C/W ANNUAL INSPECTION ON THIS ACFT IAW BEECH S-35<br/> INSPECTION GUIDE AND FAR PART 43 APPENDIX D. REPLACED<br/> LANDING LIGHT BULB P/N 4313, AIR INDUCTION FILTER P/N<br/> BA7112, RT. ELEVATOR BEARINGS P/N B-55, BUSINGS P/N 35-<br/> 600003, INSTALLED WITH NEW P/N AN23-14/M BOLTS &amp; NUTS.<br/> ELT BATTERY CHANGE DATE, MAR. 2010. CHECKED ELT PER<br/> FAR 91.207 d (1-4). OPS CHECK NORMAL. C/W AD 72-22-01 INSP.<br/> &amp; GREASE, 76-07-12 IGNITION SWITCH OPS CHECK, 89-05-02<br/> RT. ELEV. FITTING INSP., 94-20-04R2 V TAIL BULHEAD INSP.<br/> 97-14-15 CABIN DOOR LOCK INSP. &amp; 01-08-08 V BAND<br/> EXHAUST CLAMP INSP. ALL FOUND OKAY FOR SERVICE. AD<br/> 95-04-03 WING FRONT SPAR INSP. DUE AT AFTT 7989.3.<br/> CHECKED ADS THROUGH 2007-02 &amp; NO NEW ADS DUE.<br/> REMOVED PROP FOR O/H, ATLANTA PROPELLER SERVICE<br/> WO# 020107, SEE PROP LOG.<br/> REGISTRATION: N 217Q                      DATE: 09 FEB. 07<br/> TACH: 789.0                                  AFTT: 7551.3<br/> SOUTHSIDE AVIATION, INC.<br/> 202A AIRPORT PKY. LAGRANGE GA. 30240      678-576-2265<br/> S. HEDDEN      A&amp;P 2144311 <i>S. Hedden</i></p> |
| CONTROL Fitting | 789.0    |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| P. 95-04-03     | 7551.3   |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Door Lock       |          |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 01-23-10 D      |          |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Service         |          |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                 |          |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                 |          |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 9350-5, 00      |          |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| FA              |          |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                 |          |                             | <p>DATE 09 FEB. 07      TT 7551.3<br/> TACH/HOBBS 789.0      I CERTIFY THAT<br/> THIS AIRCRAFT HAS BEEN INSPECTED IN<br/> ACCORDANCE WITH A <u>ANNUAL</u><br/> INSPECTION &amp; FOUND TO BE IN AIRWORTHY<br/> CONDITION. SIGN <i>S. Hedden</i><br/> NO <u>2144311</u>      IA</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |



# INSPECTION RECORD

F.A.R. 43.11 - 91.217

KIND OF INSPECTION - STATUS & DISCREPANCY LIST  
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

| DATE   | AIRCRAFT TIME IN SERVICE |                                                                                                                                                                 | DATE |
|--------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 3-6-08 | 819.36                   | Aircraft Prepped & Painted I.A.W. AC 43.13-3A & Manufacture specs. Control Surfaces OK for Balance                                                              | 6/09 |
| AFTT   | 7581.3                   | & All F.A.R. required marking Applied. PUPONT 2K Urethane paint's applied Color are 6M12 white - 7444IB Brown 311B orange. A & P 4670 3539 Self Priming         | AFTT |
| 3-6-08 | 819.36                   | Task Exterior Reprime & new material & Fols. reinstalled                                                                                                        |      |
| AFTT   | 7581.3                   | I.A.W. AC 43.13-32 Manufacture specs & Required F.A.R.s Flame Retardant material Applied A & P 4670 3539 Self Priming                                           |      |
| 3-6-08 | 819.36                   | Task All Glass Installed I.A.W. AC 43.13-3A & Manufacture specs. Sheet Gage Aero mat. applied                                                                   |      |
| AFTT   | 7581.3                   | A & P 4670 3539 Self Priming                                                                                                                                    | 6/09 |
| 3-6-08 | 819.36                   | I CERTIFY THAT THIS Airframe                                                                                                                                    |      |
| AFTT   | 7581.3                   | HAS BEEN INSPECTED IN ACCORDANCE WITH AN AFTT INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. All A.D.S current C.T. BuTT complete with all F.A.R.s |      |
|        |                          | I.A. 4670 3539 Self Priming                                                                                                                                     |      |

## INSPECTION RECORD

F.A.R. 43.11 - 91.217

| OR SERVICE       | DATE   | AIRCRAFT TIME<br>IN SERVICE | KIND OF INSPECTION - STATUS & DISCREPANCY LIST<br>SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE           |
|------------------|--------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 13-3A E          | 1/6/09 | TAC                         | REPLACE FUEL FLOW SENSOR P/N 16-8414 WITH NEW UNIT<br>FROM TURBO ALLEY, TEST RAN ENGINE FOR FUEL SYSTEM<br>CHECK AND FOUND OK FOR SERVICE.. |
| 5 Balance        |        | 897.76                      |                                                                                                                                             |
| T 2R             | AFTT   | 7659.7                      | REGISTRATION: N 217Q<br>TACH: 897.76<br>DATE: 02/06/09<br>TOTAL TIME: 7659.7                                                                |
| 7441B Brown      |        |                             |                                                                                                                                             |
| 7D               |        |                             | SOUTHSIDE AVIATION INC.<br>202A AIRPORT PKY. LAGRANGE GA. 30240 678-576-2265                                                                |
| re-installed     |        |                             | JAMES J MACKEY JR.                                                                                                                          |
| Approved F.A.R.S |        |                             | A&P 3044498 <i>James J Mackey Jr.</i>                                                                                                       |
| 3538 Air Pro     |        |                             |                                                                                                                                             |
| manufacture      |        |                             |                                                                                                                                             |
| 39 Air Pro       |        |                             | SEE PAGE 20 FOR LAST ALT. STATIC / TDAS / TDON<br>C/W 14MAR08, RAG ALLEN'S ELECTRONICS. A. Heide 214434                                     |
| with all F.A.R.S |        |                             |                                                                                                                                             |

# INSPECTION RECORD

## F.A.R. 43.11 - 91.217

KIND OF INSPECTION - STATUS & DISCREPANCY LIST  
SIGNATURE - CERT. NO. OF PERSON APPROVING OR DISSAPPROVING AIRCRAFT FOR SERVICE

DATE

DATE

AIRCRAFT TIME  
IN SERVICE

Date 3608 Tach 81936 Installed F.A.W.  
AC43:1334 & manin  
Interior colors & #s Specs. & All F.A.R.  
A & P 416203535  
Carpet: Fudra #1613 Aid Tach  
Seat Vinal's Saddle # HIG 0618  
Seat Fab: Wheat # CR1616